

FLANGES BLIND A105, ANSI 150# TO 2500# AND API 2000LB TO 10000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHED OR LBS	QTY	DETAILS
CERTIFIED FLANGES, CARBON STEEL, ASTM-A 105 N NACE (ANSI B16.5) GRADE A105 UNLESS STATED IE API TYPE 4, F65, LF2 ETC						
FLANGE	BLIND RF	15	1/2	150 LB	7	A105N
FLANGE	BLIND RF	20	3/4	600 LB	6	A105N
FLANGE	BLIND RF	20	3/4	2500 LB	1	A105N
FLANGE	BLIND RF	25	1	150 LB	5	A105N
FLANGE	BLIND RF	25	1	600 LB	11	A105N
FLANGE	BLIND RF	25	1	1500 LB	6	A105N
FLANGE	BLIND RF	32	1 1/4	600 LB RF	2	UNDRILLED
FLANGE	BLIND RF	40	1 1/2	300 LB	8	A105N
FLANGE	BLIND RF	40	1 1/2	600 LB RF	3	A105N UNDRILLED
FLANGE	BLIND RF	40	1 1/2	600 LB	8	A105N
FLANGE	BLIND RF	40	1 1/2	1500 LB	12	A105N
FLANGE	BLIND RF	50	2	150 LB	24	A105N
FLANGE	BLIND RF	50	2	300 LB	38	LF2
FLANGE	BLIND RF	50	2	600 LB	3	UNDRILLED
FLANGE	BLIND RF	50	2	600 LB	17	A105N
FLANGE	BLIND RF	50	2	1500 LB	32	A105N
FLANGE	BLIND RF	65	2 1/2	150 LB	2	A105N
FLANGE	BLIND RF	65	2 1/2	600 LB	4	A105N
FLANGE	BLIND RF	80	3	150 LB	5	A105N
FLANGE	BLIND RF	80	3	600 LB	2	UNDRILLED
FLANGE	BLIND RF	80	3	600 LB	17	A105N
FLANGE	BLIND RF	80	3	900 LB	9	A105N
FLANGE	BLIND RF	80	3	1500 LB	3	A105N
FLANGE	BLIND RF	100	4	150 LB	17	A105N
FLANGE	BLIND RF	100	4	300 LB	3	A105N
FLANGE	BLIND RF	100	4	600 LB	11	A105N
FLANGE	BLIND RF	100	4	900 LB	14	A105N
FLANGE	BLIND RF	100	4	1500 LB	8	A105N
FLANGE	BLIND RF	100	4	2000 LB	6	API6A (API6B) 60K PSL 1 API-2
FLANGE	BLIND RF	100	4	2500 LB	4	A105N
FLANGE	BLIND RF	125	5	150 LB	2	A105N
FLANGE	BLIND RF	125	5	300 LB	2	UNDRILLED
FLANGE	BLIND RF	125	5	300 LB	25	A105N
FLANGE	BLIND RF	150	6	150 LB	5	A105N
FLANGE	BLIND RF	150	6	300 LB	2	A105N
FLANGE	BLIND RF	150	6	600 LB	7	A105N
FLANGE	BLIND RF	150	6	900 LB	12	A105N
FLANGE	BLIND RF	150	6	1500 LB	20	A105N
FLANGE	BLIND RF	200	8	150 LB	8	A105N
FLANGE	BLIND RF	200	8	300 LB	4	A105N
FLANGE	BLIND RF	200	8	600 LB	24	A105N
FLANGE	BLIND RF	200	8	900 LB	6	A105N
FLANGE	BLIND RF	200	8	900 LB	6	A105N
FLANGE	BLIND RF	200	8	BST-E	1	F/F
FLANGE	BLIND RF	250	10	150 LB	1	A105N
FLANGE	BLIND RF	250	10	300 LB	4	A105N
FLANGE	BLIND RF	250	10	600 LB	2	A105N
FLANGE	BLIND RF	250	10	600 LB	2	SPECTACLE BLIND
FLANGE	BLIND RF	250	10	900 LB	4	A105N

FLANGES BLIND A105, ANSI 150# TO 2500# AND API 2000LB TO 10000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHED OR LBS	QTY	DETAILS	
CERTIFIED FLANGES, CARBON STEEL, ASTM-A 105 NACE (ANSI B16.5) GRADE A105 UNLESS STATED IE API TYPE 4, F65, LF2 ETC							
FLANGE	BLIND RF	300	12	150 LB	2	A105N	
FLANGE	BLIND RF	300	12	300 LB	1	A105N	
FLANGE	BLIND RF	300	12	600 LB	2	A105N	
FLANGE	BLIND RF	300	12	1500 LB	1	A105N	
FLANGE	BLIND RF	350	14	150 LB	2	A105N	
FLANGE	BLIND RF	350	14	300 LB	1	A105N	
FLANGE	BLIND RF	350	14	600 LB	2	A105N	
FLANGE	BLIND RF	400	16	150 LB	2	A105N	
FLANGE	BLIND RF	400	16	600 LB	2	A105N	
FLANGE	BLIND RF	450	18	150 LB	2	A105N	
FLANGE	BLIND RF	450	18	600 LB	1	A105N	
FLANGE	BLIND RF	500	20	300 LB	2	A105N	
FLANGE	BLIND RF	500	20	600 LB	2	A105N	
FLANGE	BLIND RF	500	20	BST-E	3	A105N	
FLANGE	BLIND RF	550	22	150 LB	2	A105N	
FLANGE	BLIND RF	550	22	600 LB	2	A105N	
FLANGE	BLIND RF	600	24	150 LB	3	A105N	
FLANGE	BLIND RF	600	24	300 LB	1	A105N	
FLANGE	BLIND RF	750	30	300 LB	4	A105N	
FLANGE	BLIND RF	800	32	150 LB	1	A105N	
FLANGE	BLIND RF	800	32	900 LB	1	A105N	
FLANGE	BLIND RTJ	20	3/4	2500 LB	1	A105N	
FLANGE	BLIND RTJ	25	1	600 LB	2	A105N	
FLANGE	BLIND RTJ	25	1	1500 LB	7	A105N	
FLANGE	BLIND RTJ	40	1 1/2	600 LB	1	A105N	
FLANGE	BLIND RTJ	50	2	1500 LB	12	A105N	
FLANGE	BLIND RTJ	50	2	1500 LB	NPT	20	A105N
FLANGE	BLIND RTJ	50	2	2500 LB	3	A105N	
FLANGE	BLIND RTJ	50	2	3000 LB	5	(2 1/16")API2, 60K API6A (API6B) PSL1	
FLANGE	BLIND RTJ	50	2	5000 LB	NPT	20	(2 1/16")API2, 60K API6A (API6B) PSL2
FLANGE	BLIND RTJ	50	2	5000 LB	6	(2 1/16")API2, 60K API6A (API6B) PSL3	
FLANGE	BLIND RTJ	50	2	10000 LB	2	(2 1/16")API2, 60K API6A (API6B) PSL4	
FLANGE	BLIND RTJ	65	2 1/2	600 LB	2	A105N	
FLANGE	BLIND RTJ	65	2 1/2	1500 LB	6	A105N	
FLANGE	BLIND RTJ	65	2 9/16	3000 LB	6	(2 9/16")API2, 60K API6A (API6B) PSL4	
FLANGE	BLIND RTJ	65	2 9/16	5000 LB	6	(2 9/16")API2, 60K API6A (API6B) PSL4	
FLANGE	BLIND RTJ	80	3	600 LB	3	A105N	
FLANGE	BLIND RTJ	80	3	900 LB	9	A105N	
FLANGE	BLIND RTJ	80	3	1500 LB	8	A105N	
FLANGE	BLIND RTJ	80	3	2000 LB	2	A105N	
FLANGE	BLIND RTJ	80	3	2500 LB	2	A105N	
FLANGE	BLIND RTJ	80	3	3000 LB	4	(3 1/8")API2, 60K API6A (API6B) PSL4	
FLANGE	BLIND RTJ	80	3	5000 LB	6	(3 1/8")API2, 60K API6A (API6B) PSL4	
FLANGE	BLIND RTJ	80	3	10000 LB	4	(3 1/16")API6A (API6B) API-4 PSL2 60K NACE	
FLANGE	BLIND RTJ	100	4	900 LB	10	A105N	
FLANGE	BLIND RTJ	100	4	1500 LB	19	A105N	
FLANGE	BLIND RTJ	100	4	2000 LB	6	(4 1/16")API6A (API6B) 60K PSL 1 API-2	
FLANGE	BLIND RTJ	100	4	2500 LB	1	A105N	
FLANGE	BLIND RTJ	100	4	2500 LB	4	A105N	

FLANGES BLIND A105, ANSI 150# TO 2500# AND API 2000LB TO 10000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHED OR LBS	QTY	DETAILS
CERTIFIED FLANGES, CARBON STEEL, ASTM-A 105 N NACE (ANSI B16.5) GRADE A105 UNLESS STATED IE API TYPE 4, F65, LF2 ETC						
FLANGE	BLIND RTJ	100	4	3000 LB	8	(4 1/16")API6A (API6B) API-2 PSL1 60K NACE
FLANGE	BLIND RTJ	100	4	5000 LB	10	(4 1/16")API6A (API6B) API-2 PSL 1 60K NACE
FLANGE	BLIND RTJ	125	5	5000 LB	2	(5 1/8")API6A (API6B) PSL 1 60K NACE
FLANGE	BLIND RTJ	150	6	900 LB	38	A105N
FLANGE	BLIND RTJ	150	6	1500 LB	6	A105N
FLANGE	BLIND RTJ	150	6	2000 LB	2	(7 1/16)API6A (API6B) PSL 1 60K NACE
FLANGE	BLIND RTJ	150	6	2500 LB	11	A694 F65
FLANGE	BLIND RTJ	150	6	3000 LB	13	(7 1/16")API6A(API6B) PSLI 60K NACE
FLANGE	BLIND RTJ	150	6	3000 LB	4	(7 1/16")API6A(API6B) PSLI 60K NACE
FLANGE	BLIND RTJ	150	6	3000 LB	2	API6A (API6B) PSL 1 60K NACE
FLANGE	BLIND RTJ	150	6	5000 LB	4	API6A (API6B) PSL 1 60K NACE
FLANGE	BLIND RTJ	180	7 1/16	3000 LB		SEE 6" 3000
FLANGE	BLIND RTJ	180	7 1/16	5000 LB		SEE 6" 5000
FLANGE	BLIND RTJ	200	8	900 LB	3	A105N
FLANGE	BLIND RTJ	200	8	1500 LB	1	A105N
FLANGE	BLIND RTJ	200	8	2500 LB	1	A105N
FLANGE	BLIND RTJ	200	9	3000 LB		SEE 9" 3000
FLANGE	BLIND RTJ	225	9	3000 LB	1	API-2 (API6B) PSL 1 API6A 60K NACE
FLANGE	BLIND RTJ	225	9	5000 LB	1	API6A (API6B) API-2 60K
FLANGE	BLIND RTJ	250	10	900 LB	6	A105N
FLANGE	BLIND RTJ	250	10	1500 LB	2	A105N
FLANGE	BLIND RTJ	275	11	3000 LB	2	API-2 (API6B) 60K PSL 2 DD NACE
FLANGE	BLIND RTJ	275	11	5000 LB	2	API-2 (API6B) 60K PSL 2 DD NACE
FLANGE	BLIND RTJ	300	12	900 LB	1	A105N
FLANGE	BLIND RTJ	300	12	1500 LB	1	A105N
FLANGE	BLIND RTJ	300	12	1500 LB	1	A105N
FLANGE	BLIND RTJ	400	16	900 LB	1	A105N
FLANGE	BLIND RTJ	600	24	1500 LB	1	ST52-3
FLANGE	BLIND RTJ	900	36	900 LB	1	LF2
FLANGE	COMPANION					"SEE RTJ SCREW"

THIS STOCK LIST CONTAINS BLIND FLANGES RF AND RTJ ANSI CLASS 150, 300, 600, 900, 1500, 2500 AND API6A 2000, 3000, 5000, 10000 PSI (LB), 15MM NB TO 900MM NB (1/2 INCH TO 36 INCH) IN A105, LF2, API TYPE 2 etc.