

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RF SCREWED	50	2	600 LB		5	A105N
FLANGE	RF SCREWED	50	2	1500 LB	NPT 2"	10	A105N
FLANGE	RF SCREWED	80	3	600 LB	NPT	3	A1502
FLANGE	RF SCREWED	100	4	150 LB	BSP	15	A105N
FLANGE	RF SCREWED	100	4	150 LB	NPT	8	A105N
FLANGE	RF SCREWED	100	4	BST-H		7	A105N
FLANGE	RFSO	20	3/4	150 LB		10	A105N
FLANGE	RFSO	20	3/4	150 LB		8	A105N
FLANGE	RFSO	20	3/4	300 LB		6	A105N
FLANGE	RFSO	20	3/4	600 LB		7	A105N
FLANGE	RFSO	25	1	150 LB		48	A105N
FLANGE	RFSO	25	1	300 LB		5	A105N
FLANGE	RFSO	25	1	600 LB		37	A105N
FLANGE	RFSO	32	1 1/4	150 LB		29	A105N
FLANGE	RFSO	32	1 1/4	150 LB		29	A105N
FLANGE	RFSO	32	1 1/4	300 LB		5	A105N
FLANGE	RFSO	32	1 1/4	600 LB		2	A105N UNDRILLED
FLANGE	RFSO	40	1 1/2	150 LB		22	A105N
FLANGE	RFSO	40	1 1/2	300 LB		11	A105N
FLANGE	RFSO	40	1 1/2	600 LB		2	A105N UNDRILLED
FLANGE	RFSO	50	2	300 LB		23	A105N A182 F6
FLANGE	RFSO	50	2	600 LB		2	A105N UNDRILLED
FLANGE	RFSO	50	2	600 LB		10	A105N
FLANGE	RFSO	50	2	1500 LB		6	A105N
FLANGE	RFSO	65	2 1/2	600 LB		6	A105N
FLANGE	RFSO	80	3	600 LB		12	A105N
FLANGE	RFSO	80	3	600 LB		2	A105N UNDRILLED
FLANGE	RFSO	100	4	150 LB		12	A105N
FLANGE	RFSO	100	4	300 LB		60	A105N
FLANGE	RFSO	100	4	600 LB		14	A105N
FLANGE	RFSO	100	4	BST-H		7	A105N
FLANGE	RFSO	125	5	150 LB		3	A150N
FLANGE	RFSO	125	5	300 LB		2	A105N UNDRILLED
FLANGE	RFSO	150	6	150 LB		3	A150N
FLANGE	RFSO	150	6	300 LB		5	A105N
FLANGE	RFSO	150	6	600 LB		8	A105N
FLANGE	RFSO	150	6	BST-H		1	A105N
FLANGE	RFSO	200	8	150 LB		12	A105N
FLANGE	RFSO	200	8	600 LB		4	A105N
FLANGE	RFSO	200	8	900 LB		5	A105N
FLANGE	RFSO	250	10	150 LB		6	A105N
FLANGE	RFSO	250	10	300 LB		6	A105N
FLANGE	RFSO	250	10	600 LB		2	A105N
FLANGE	RFSO	300	12	150 LB		5	A150N
FLANGE	RFSO	300	12	600 LB		2	A105N
FLANGE	RFSO	350	14	150 LB		12	A105N
FLANGE	RFSO	350	14	300 LB		3	A105N
FLANGE	RFSO	400	16	150 LB		28	A105N
FLANGE	RFSO	450	18	150 LB		7	A105N
FLANGE	RFSO	450	18	150 LB		9	A105N
FLANGE	RFSO	450	18	300 LB		1	A105N
FLANGE	RFSO	450	18	BST-J		2	A105N
FLANGE	RFSO	500	20	150 LB		7	A105N ORIFICE
FLANGE	RFSO	600	24	150 LB		6	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RFSO	600	24	300 LB		2	LF2
FLANGE	RFSO	600	24	600 LB		4	A105N
FLANGE	RFSO	750	30	150 LB		6	API A105N
FLANGE	RFSO	750	30	150 LB		8	BS3293 MSS A105N
FLANGE	RFSO	900	36	150 LB		5	A105N API605
FLANGE	RFSO	1000	40	150 LB		2	A105N
FLANGE	RFSO	1050	42	150 LB		3	A150N
FLANGE	RFSW	15	1/2	600 LB	SCH /80	6	A150N
FLANGE	RFSW	20	3/4	150 LB	SCH /80	7	A150N
FLANGE	RFSW	20	3/4	150 LB		11	A150N
FLANGE	RFSW	20	3/4	1500 LB	SCH /160	80	A150N
FLANGE	RFSW	25	1	150 LB	SCH /40	21	A150N
FLANGE	RFSW	25	1	150 LB	SCH /80	14	A105N
FLANGE	RFSW	25	1	600 LB	SCH /160	8	A105N
FLANGE	RFSW	25	1	1500 LB	SCH /160	28	A105N
FLANGE	RFSW	25	1	1500 LB	SCH /160	7	A105N
FLANGE	RFSW	25	1	1500 LB	XXS	7	A105N
FLANGE	RFSW	40	1 1/2	150 LB	SCH /80	10	A105N
FLANGE	RFSW	40	1 1/2	150 LB	XXS	2	A105N
FLANGE	RFSW	40	1 1/2	300 LB	SCH /80	11	A105N
FLANGE	RFSW	40	1 1/2	600 LB		18	A105N
FLANGE	RFSW	40	1 1/2	1500 LB	SCH /160	20	A105N
FLANGE	RFWN	15	1/2	150 LB	XXS	15	A105N
FLANGE	RFWN	20	3/4	1500 LB	SCH /160	21	A105N
FLANGE	RFWN	20	3/4	1500 LB	XXS	4	A105N UNDRILLED
FLANGE	RFWN	25	1	150 LB	XXS	53	A105N
FLANGE	RFWN	25	1	300 LB	XXS	2	A105N UNDRILLED
FLANGE	RFWN	25	1	600 LB	SCH /80	12	A105N
FLANGE	RFWN	25	1	1500 LB	SCH /80	20	A105N
FLANGE	RFWN	25	1	BST-R	SCH /80	8	A105N
FLANGE	RFWN	32	1 1/4	150 LB	SCH /40	10	A105N
FLANGE	RFWN	32	1 1/4	150 LB	SCH /40	25	A105N
FLANGE	RFWN	32	1 1/4	600 LB	SCH /80	19	A105N
FLANGE	RFWN	40	1 1/2	150 LB	SCH /40	54	A105N
FLANGE	RFWN	40	1 1/2	150 LB	SCH /80	7	A105N
FLANGE	RFWN	40	1 1/2	300 LB	SCH /80	4	A105N UNDRILLED
FLANGE	RFWN	40	1 1/2	600 LB	SCH /80	11	A105N
FLANGE	RFWN	40	1 1/2	600 LB	SCH /160	10	A105N
FLANGE	RFWN	40	1 1/2	900 LB	SCH /80	8	A105N
FLANGE	RFWN	40	1 1/2	1500 LB	SCH /160	8	A105N
FLANGE	RFWN	40	1 1/2	BST-R	SCH /80	8	A105N
FLANGE	RFWN	50	2	150 LB	SCH /80	150	A105N
FLANGE	RFWN	50	2	150 LB	SCH /160	1	F5
FLANGE	RFWN	50	2	150 LB	XXS	13	LF2
FLANGE	RFWN	50	2	300 LB	SCH /80	8	LF2
FLANGE	RFWN	50	2	600 LB	SCH /80	25	A105N
FLANGE	RFWN	50	2	600 LB	SCH /160	7	A105N
FLANGE	RFWN	50	2	1500 LB	SCH /80	30	A105N
FLANGE	RFWN	50	2	1500 LB	SCH /160	30	A105N
FLANGE	RFWN	50	2	1500 LB	XXS	30	A105N
FLANGE	RFWN	50	2	1500 LB	XXS	9	A105N LONG NECK
FLANGE	RFWN	65	2 1/2	300 LB	SCH /40	10	A105N
FLANGE	RFWN	65	2 1/2	300 LB	SCH /80	5	A105N
FLANGE	RFWN	65	2 1/2	1500 LB	SCH /160	20	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RFWN	80	3	150 LB	SCH /40	22	A105N
FLANGE	RFWN	80	3	150 LB	SCH /40	20	A105N
FLANGE	RFWN	80	3	150 LB	XXS	14	A105N
FLANGE	RFWN	80	3	300 LB	SCH /40	20	A105N
FLANGE	RFWN	80	3	300 LB	SCH /40	53	LF2
FLANGE	RFWN	80	3	600 LB	SCH /80	20	A105N
FLANGE	RFWN	80	3	900 LB	SCH /80	20	A105N
FLANGE	RFWN	80	3	900 LB	SCH /160	20	A105N
FLANGE	RFWN	80	3	1500 LB	SCH /160	100	A105N
FLANGE	RFWN	80	3	1500 LB	XXS	14	A105N
FLANGE	RFWN	100	4	150 LB	SCH /40	24	A105N
FLANGE	RFWN	100	4	150 LB	SCH /80	48	A105N
FLANGE	RFWN	100	4	150 LB	SCH /160	6	A150N
FLANGE	RFWN	100	4	150 LB	XXS	10	A150N
FLANGE	RFWN	100	4	300 LB	SCH /40	18	LF2
FLANGE	RFWN	100	4	600 LB	SCH /80	30	A105N
FLANGE	RFWN	100	4	900 LB	SCH /80	28	A105N
FLANGE	RFWN	100	4	900 LB	SCH /160	30	A105N
FLANGE	RFWN	100 X 80	4 X 3	1500 LB	SCH /160	1	A105N REDUCING 3" NECK LONG NECK
FLANGE	RFWN	100	4	1500 LB	XXS	30	A105N
FLANGE	RFWN	100	4	2500 LB	XXS	12	A105N
FLANGE	RFWN	150	6	150 LB	SCH /40	30	A105N
FLANGE	RFWN	150	6	150 LB	SCH /80	8	A105N
FLANGE	RFWN	150	6	150 LB	XXS	5	A105N
FLANGE	RFWN	150	6	300 LB	SCH /40	8	A105N
FLANGE	RFWN	150	6	300 LB	SCH /40	1	F5
FLANGE	RFWN	150	6	300 LB	SCH /80	20	A105N
FLANGE	RFWN	150	6	600 LB	SCH /80	8	A105N ORIFICE
FLANGE	RFWN	150	6	600 LB	SCH /80	30	A105N
FLANGE	RFWN	150	6	900 LB	SCH /80	20	A105N
FLANGE	RFWN	150	6	900 LB	SCH /120	13	A105N
FLANGE	RFWN	150	6	1500 LB	SCH /80	12	A105N ORIFICE
FLANGE	RFWN	150	6	1500 LB	SCH /80	32	A105N
FLANGE	RFWN	150	6	1500 LB	SCH /160	36	A105N
FLANGE	RFWN	150	6	1500 LB	SCH /160	8	A105N ORIFICE
FLANGE	RFWN	200	8	150 LB	SCH /40	23	A105N
FLANGE	RFWN	200	8	300 LB	SCH /40	30	A105N
FLANGE	RFWN	200	8	300 LB	SCH /80	8	A105N
FLANGE	RFWN	200	8	300 LB	SCH /100	2	A105N UNDRILLED
FLANGE	RFWN	200	8	300 LB	SCH /100	6	A105N
FLANGE	RFWN	200	8	600 LB	SCH /40	7	F11
FLANGE	RFWN	200	8	600 LB	SCH /80	18	A105N
FLANGE	RFWN	200	8	600 LB	SCH /80	80	A105N ORIFICE
FLANGE	RFWN	200	8	600 LB	SCH /100	1	F11
FLANGE	RFWN	200	8	600 LB	SCH /160	1	A105N
FLANGE	RFWN	200	8	900 LB	SCH /80	12	A105N
FLANGE	RFWN	200	8	900 LB	SCH /80	14	LF2
FLANGE	RFWN	200	8	900 LB	SCH /100	12	A105N
FLANGE	RFWN	200	8	900 LB	SCH /120	2	A105N
FLANGE	RFWN	200	8	900 LB	SCH /160	8	A105N
FLANGE	RFWN	200	8	1500 LB	SCH /80	10	A105N ORIFICE
FLANGE	RFWN	200	8	1500 LB	SCH /120	7	A105N ORIFICE
FLANGE	RFWN	200	8	1500 LB	SCH /140	1	F11
FLANGE	RFWN	200	8	1500 LB	SCH /160	6	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RFWN	200	8	1500 LB	XXS	9	A105N
FLANGE	RFWN	250	10	150 LB	SCH /40	16	A105N
FLANGE	RFWN	250	10	150 LB	SCH /80	6	A105N
FLANGE	RFWN	250	10	150 LB	XS	2	A105N ORIFICE
FLANGE	RFWN	250	10	300 LB	SCH /40	14	A105N
FLANGE	RFWN	250	10	300 LB	STD	26	A105N
FLANGE	RFWN	250	10	600 LB	SCH /40	4	A105N
FLANGE	RFWN	250	10	600 LB	SCH /80	20	A105N
FLANGE	RFWN	250	10	600 LB	SCH /120	4	A105N
FLANGE	RFWN	250	10	600 LB	SCH /160	8	A105N
FLANGE	RFWN	250	10	600 LB			A105N SEE RFSO
FLANGE	RFWN	250	10	900 LB	SCH /80	5	A105N
FLANGE	RFWN	250	10	900 LB	SCH /100	2	LF2 (NOT S/L)
FLANGE	RFWN	250	10	900 LB	SCH /120	12	A150N
FLANGE	RFWN	250	10	900 LB	SCH /160	2	A150N
FLANGE	RFWN	250	10	1500 LB	SCH /160	2	F11
FLANGE	RFWN	250	10	1500 LB	40MM	2	A105N (NOT S/L)
FLANGE	RFWN	250	10	1500 LB	XXS	2	A105N
FLANGE	RFWN	250	10	2500 LB	36MM	3	A105N (NOT S/L)
FLANGE	RFWN	250	10	BST-E LB	SCH /60	1	A105N
FLANGE	RFWN	300	12	150 LB	SCH /40	20	A105N
FLANGE	RFWN	300	12	150 LB	STD	8	A105N
FLANGE	RFWN	300	12	150 LB	STD	3	LF2
FLANGE	RFWN	300	12	300 LB	SCH /40	7	A105N
FLANGE	RFWN	300	12	600 LB	SCH /40	4	A105N
FLANGE	RFWN	300	12	600 LB	SCH /40	1	F11
FLANGE	RFWN	300	12	600 LB	SCH /80	12	A105N
FLANGE	RFWN	300	12	600 LB	SCH /80	6	A105N
FLANGE	RFWN	300	12	600 LB	SCH /100	4	A105N
FLANGE	RFWN	300	12	600 LB	SCH /160	4	A105N
FLANGE	RFWN	300	12	600 LB	STD	6	A105N
FLANGE	RFWN	300	12	600 LB			A105N SEE RFSO
FLANGE	RFWN	300	12	900 LB	SCH /120	6	A105N
FLANGE	RFWN	300	12	900 LB	SCH /120	2	A105N ORIFICE
FLANGE	RFWN	300	12	2500 LB	SCH /160	2	F22 CL3 (NOT S/L)
FLANGE	RFWN	350	14	150 LB	SCH /60	2	A105N
FLANGE	RFWN	350	14	150 LB	STD	10	A105N
FLANGE	RFWN	350	14	150 LB	XS	1	A105N
FLANGE	RFWN	350	14	300 LB	SCH /80	3	A105N
FLANGE	RFWN	350	14	300 LB	STD	6	LF2
FLANGE	RFWN	350	14	300 LB	STD	3	A105N
FLANGE	RFWN	350	14	600 LB	SCH /80	16	A105N
FLANGE	RFWN	350	14	600 LB	SCH /80	2	LF2
FLANGE	RFWN	350	14	600 LB	SCH /80	2	LF2 (NOT S/L)
FLANGE	RFWN	350	14	900 LB	SCH /80	2	A105N
FLANGE	RFWN	350	14	900 LB	SCH /120	4	A105N
FLANGE	RFWN	350	14	1500 LB	46MM	2	A105N (NOT S/L)
FLANGE	RFWN	400	16	150 LB	SCH /80	2	A105N
FLANGE	RFWN	400	16	150 LB	STD	10	A105N
FLANGE	RFWN	400	16	150 LB	STD	8	A105N ORIFICE
FLANGE	RFWN	400	16	150 LB	XS	2	A105N
FLANGE	RFWN	400	16	300 LB	SCH /40	3	LF2
FLANGE	RFWN	400	16	300 LB	STD	4	A105N
FLANGE	RFWN	400	16	300 LB	XS	3	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RFWN	400	16	600 LB	SCH /40	5	LF2
FLANGE	RFWN	400	16	600 LB	SCH /80	6	A105N
FLANGE	RFWN	400	16	600 LB	SCH /80	4	LF2
FLANGE	RFWN	400	16	600 LB	SCH /80	5	LF2 (NOT S/L)
FLANGE	RFWN	400	16	600 LB	XS	3	A105N
FLANGE	RFWN	400	16	900 LB	SCH /80	2	A105N
FLANGE	RFWN	400	16	1500 LB	60MM	4	A105N (NOT S/L)
FLANGE	RFWN	450	18	150 LB	SCH /40	9	A105N
FLANGE	RFWN	450	18	150 LB	SCH /80	4	A105N
FLANGE	RFWN	450	18	300 LB	STD	4	A105N
FLANGE	RFWN	450	18	300 LB	XS	1	A105N
FLANGE	RFWN	450	18	600 LB	SCH /80	4	A105N
FLANGE	RFWN	500	20	150 LB	SCH /80	1	A105N
FLANGE	RFWN	500	20	150 LB	STD	9	A105N
FLANGE	RFWN	500	20	300 LB	STD	2	A105N
FLANGE	RFWN	500	20	900 LB	SCH /120	2	LF2/F52
FLANGE	RFWN	550	22	600 LB	SCH /60	9	A105N
FLANGE	RFWN	600	24	150 LB	STD	4	A195N
FLANGE	RFWN	600	24	150 LB	XS	2	A1095N
FLANGE	RFWN	600	24	300 LB	STD	8	A105N
FLANGE	RFWN	700	28	150 LB	SCH /30	4	A105N MSSS044 (DUAL BS 3293)
FLANGE	RFWN	750	30	150 LB	SCH /30	2	A105N BS3293
FLANGE	RFWN	750	30	150 LB	SCH /30	2	LF2 (NOT S/L)
FLANGE	RFWN	750	30	150 LB	XS	2	A105N
FLANGE	RFWN	750	30	300 LB	XS	1	A105N
FLANGE	RFWN	900	36	150 LB	SCH /20	3	A105N BS 3293/MS
FLANGE	RFWN	900	36	150 LB	STD	2	A105N
FLANGE	RFWN	900	36	150 LB	XS	1	A105N
FLANGE	RFWN	900	36	1500 LB	XXS	2	(NOT S/L)
FLANGE	RTJ SCREW	50	2	1500 LB	2" NPT	26	"COMPANION"
FLANGE	RTJ SCREW	50	2	5000 LB	2" NPT	24	"COMPANION" API6A API-2 PSL1 NACE
FLANGE	RTJ SCREW	65	2 9/16	5000 LB	2 1/2" NPT	10	API6A (API6B) API2 NACE PSL1
FLANGE	RTJ SCREW	65	2 9/16	5000 LB	2" NPT	6	API6A (API6B) API-2 NACE PSL1
FLANGE	RTJ SCREW	80	31-Aug	5000 LB	NPT 3"	6	API2 NACE
FLANGE	RTJ SCREW	150	6	900 LB	7" LTC	2	A105N
FLANGE	RTJSO	100	4	600 LB		14	A105N
FLANGE	RTJSO	250	10	600 LB		2	A105N
FLANGE	RTJSO	300	12	600 LB		2	A105N
FLANGE	RTJSO	500	20	600 LB		2	A105N
FLANGE	RTJSO	500	20	2000 LB		2	A105N
FLANGE	RTJSW	15	1/2	600 LB		12	A105N
FLANGE	RTJSW	25	1	600 LB	SCH /160	12	A105N
FLANGE	RTJSW	25	1	1500 LB	SCH /160	26	A105N
FLANGE	RTJSW	40	1 1/2	1500 LB	SCH /40	37	A105N
FLANGE	RTJSW	40	1 1/2	2500 LB		38	A105N
FLANGE	RTJWN	15	1/2	1500 LB	XXS	30	A105N EXT NECK MNPT
FLANGE	RTJWN	20	3/4	1500 LB	SCH /160	20	A105N
FLANGE	RTJWN	20	3/4	1500 LB	XXS	6	LF2 LONG NECK
FLANGE	RTJWN	20	3/4	1500 LB	XXS	60	A105N WELDO FLANGE LONG NECK 6" - 8" RUN
FLANGE	RTJWN	20	3/4	1500 LB	XXS	20	A105N
FLANGE	RTJWN	20	3/4	2500 LB	SCH /160	2	F65
FLANGE	RTJWN	20	3/4	2500 LB	XXS	86	WELDO FLANGE LONG NECK F65 6 - 8" RUN
FLANGE	RTJWN	25	1	600 LB	SCH /80	10	LF2
FLANGE	RTJWN	25	1	600 LB	SCH /160	30	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RTJWN	25	1	1500 LB	SCH /80	30	A105N
FLANGE	RTJWN	25	1	1500 LB	SCH /160	30	A105N
FLANGE	RTJWN	40	1 1/2	2500 LB	SCH /160	4	A105N
FLANGE	RTJWN	40	1 1/2	2500 LB	XXS	2	A105N
FLANGE	RTJWN	50	2	600 LB	SCH /80	10	A105N
FLANGE	RTJWN	50	2	1500 LB	SCH /80	40	A105N
FLANGE	RTJWN	50	2	1500 LB	SCH /160	80	A105N
FLANGE	RTJWN	50	2	1500 LB	XXS	18	A105N LONG NECK
FLANGE	RTJWN	50	2	1500 LB	XXS	75	A105N
FLANGE	RTJWN	50	2	2500 LB	SCH /160	10	A105N
FLANGE	RTJWN	50	2	2500 LB	SCH /160	6	F65
FLANGE	RTJWN	50	2	2500 LB	XXS	9	F65
FLANGE	RTJWN	50	2	2500 LB	XXS	20	A105N
FLANGE	RTJWN	50	2 1/16	5000 LB	SCH /80	40	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	50	2 1/16	5000 LB	SCH /160	30	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	50	2 1/16	5000 LB	XXS	50	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	50	2 1/16	10000 LB	XXS	6	API6A (6B) TYPE 4 PSL2 H & 2 NACE
FLANGE	RTJWN	65	2 1/2	600 LB	SCH /160	10	A105N
FLANGE	RTJWN	65	2 1/2	1500 LB	SCH /160	20	A105N
FLANGE	RTJWN	65	2 9/16	5000 LB	XXS	30	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3	600 LB	SCH /80	8	A105N
FLANGE	RTJWN	80	3	900 LB	SCH /80	16	A105N
FLANGE	RTJWN	80	3	900 LB	SCH /160	26	A105N
FLANGE	RTJWN	80	3	900 LB	SCH /160	23	LF2
FLANGE	RTJWN	80	3	900 LB	XXS	20	A105N
FLANGE	RTJWN	80	3	1500 LB	SCH /80	14	A105N
FLANGE	RTJWN	80	3	1500 LB	SCH /160	26	A105N
FLANGE	RTJWN	80	3	2500 LB	SCH /160	5	A105N
FLANGE	RTJWN	80	3	2500 LB	XXS	4	A105N
FLANGE	RTJWN	80	3	3000 LB	SCH /80	8	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3	3000 LB	SCH /160	24	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3	3000 LB	XXS	18	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3	5000 LB	SCH /160	22	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3	5000 LB	XXS	19	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	80	3 1/16	10000 LB	4" XXS	28	4" XXS NECK 4130 'DD' BX154, 316SS INLAY
FLANGE	RTJWN	100	4	600 LB	SCH /80	6	A105N
FLANGE	RTJWN	100	4	600 LB	SCH /160	6	A105N
FLANGE	RTJWN	100	4	900 LB	SCH /80	20	A105N
FLANGE	RTJWN	100	4	900 LB	SCH /120	6	A105N
FLANGE	RTJWN	100	4	900 LB	SCH /160	12	A105N
FLANGE	RTJWN	100	4	900 LB	XXS	14	A105N
FLANGE	RTJWN	100	4	1500 LB	SCH /80	14	A105N
FLANGE	RTJWN	100	4	1500 LB	SCH /160	50	A105N
FLANGE	RTJWN	100	4	1500 LB	XXS	20	A105N
FLANGE	RTJWN	100	4	2000 LB		10	A105N
FLANGE	RTJWN	100	4	2500 LB	XXS	12	A105N
FLANGE	RTJWN	100	4	3000 LB	SCH /160	18	A105N
FLANGE	RTJWN	100	4	3000 LB	XXS	10	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	100	4	5000 LB	SCH /160	6	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	100	4	5000 LB	XXS	12	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	100	4 1/16	10000 LB	XXS	4	API6A (API6BX) API-2 PSL2 60K YIELD "DD"
FLANGE	RTJWN	100	4 1/16	10000 LB	6" XXS		316L INLAY PSL-1 'DD' 75K TEMP U/P
FLANGE	RTJWN	100	4	15000 LB	XXS	2	316L INLAY 'DD' 75K 6A (6BX)
FLANGE	RTJWN	125	5	1500 LB	XXS	5	A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RTJWN	125	5	5000 LB	SCH /160	4	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	126	5	5000 LB	XXS	7	API6A (6B) PSL1 TYPE 4 NACE
FLANGE	RTJWN	150	6	600 LB	SCH /80	8	A105N
FLANGE	RTJWN	150	6	600 LB	SCH /160	2	A105N
FLANGE	RTJWN	150	6	900 LB	SCH /80	8	A105N
FLANGE	RTJWN	150	6	900 LB	SCH /120	9	A105N
FLANGE	RTJWN	150	6	900 LB	SCH /160	100	A105N PSL2 'DD'
FLANGE	RTJWN	150	6	900 LB	XXS	25	A105N
FLANGE	RTJWN	150	6	1500 LB	SCH /80	4	A105N
FLANGE	RTJWN	150	6	1500 LB	SCH /160	14	A105N
FLANGE	RTJWN	150	6	1500 LB	XXS	12	A105N
FLANGE	RTJWN	150	6	1500 LB	XXS	8	A105N ORIFICE
FLANGE	RTJWN	150	6	2000 LB	SCH /40	4	A105N
FLANGE	RTJWN	150	6	2500 LB	SCH /160	4	A105N
FLANGE	RTJWN	150	6	2500 LB	XXS	5	A105N
FLANGE	RTJWN	150	6	2500 LB	XXS	51	F65 MSS-SP-75 TOLERANCE 12.5 % - ZERO
FLANGE	RTJWN	150	6	3000 LB	XXS	4	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	150	6	5000 LB	XXS	100	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	179	7 1/16	3000 LB			SEE 6" 3000 IS SAME
FLANGE	RTJWN	179	7 1/16	5000 LB			SEE 6" 5000 IS SAME
FLANGE	RTJWN	200	8	600 LB	SCH /80	6	A105N
FLANGE	RTJWN	200	8	900 LB	SCH /80	4	A105N
FLANGE	RTJWN	200	8	900 LB	SCH /100	2	A105N
FLANGE	RTJWN	200	8	900 LB	SCH /120	6	A105N
FLANGE	RTJWN	200	8	900 LB	SCH /160	7	A105N
FLANGE	RTJWN	200	8	900 LB	XXS	7	A105N
FLANGE	RTJWN	200	8	1500 LB	SCH /80	4	A105N
FLANGE	RTJWN	200	8	1500 LB	SCH /80	7	A105N ORIFICE
FLANGE	RTJWN	200	8	1500 LB	SCH /160	6	A105N
FLANGE	RTJWN	200	8	1500 LB	XXS	9	A105N
FLANGE	RTJWN	200	8	2500 LB	SCH /140	36	A694 F65
FLANGE	RTJWN	200	8	3000 LB	SCH /160	2	SEE 9" (SAME)
FLANGE	RTJWN	200	8	5000 LB	SCH /160	2	SEE 9" (SAME)
FLANGE	RTJWN	225	9	3000 LB	SCH /160	2	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	225	9	5000 LB	SCH /160	2	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	250	10	600 LB	SCH /80	4	A105N
FLANGE	RTJWN	250	10	900 LB	SCH /80	3	A105N
FLANGE	RTJWN	250	10	900 LB	SCH /120	4	A105N
FLANGE	RTJWN	250	10	900 LB	SCH /160	2	A105N
FLANGE	RTJWN	250	10	1500 LB	SCH /160	3	A105N
FLANGE	RTJWN	250	10	2500 LB	SCH /160	1	A105N
FLANGE	RTJWN	250	10	2500 LB	15.88MM	14	F65 (NOT S/L)
FLANGE	RTJWN	250	10	3000 LB	SCH /160		SEE 11" 3000 (SAME)
FLANGE	RTJWN	250	10	5000 LB	SCH /160		SEE 11" 5000 (SAME)
FLANGE	RTJWN	275	11	3000 LB	SCH /160	1	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	275	11	5000 LB	SCH /160	1	API6A (6B) API4 PSL1 (7 1/16")
FLANGE	RTJWN	300	12	600 LB	SCH /80	2	A105N
FLANGE	RTJWN	300	12	900 LB	SCH /120	3	A105N (XXS)
FLANGE	RTJWN	400	16	900 LB	SCH /120	2	LF2 (NOT S/L)
FLANGE	RTJWN	400	16	2500 LB	54MM WT	12	F52/LF2(A105N(NOT S/L)
FLANGE	RTJWN	450	18	1500 LB	SCH /120	2	F52/LF2(A105N(NOT S/L)
FLANGE	RTJWN	450	18	2500 LB	61MM WT	4	F52/LF2(A105N(NOT S/L)
FLANGE	RTJWN	500	20	900 LB	SCH /80	4	LF2/A105N (NOT S/L)
FLANGE	RTJWN	500	20	900 LB	SCH /120	4	LF2/A105N

STOCKLIST CERTIFIED FLANGES RF SCREWED - RTJWN ANSI B16-A105N - NACE (LF2 ON OTHER GRADE ONLY WHERE SHOWN) AND API2000 TO 10,000LB

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	CLASS	SCHED	QTY	DETAILS
FLANGE	RTJWN	600	24	900 LB	VARIOUS	5	LF2/F60/ST52(S/L)
FLANGE	RTJWN	600	24	1500 LB	32MM	2	ST52.3
FLANGE	WELDO FLANGE	20	3/4	1500	XXS	60	LONG NECK 6"-8" RUN
FLANGE	WELDO FLANGE	20	3/4	2500	XXS	86	LONG NECK 6"-8" RUN

THIS LIST CONTAINS SCREWED AND WELDNECK FLANGES (RF, RTJWN) RF & RTJ ANSI CLASS 150, 300, 600, 900, 1500, 2500 AND API6A 2000, 3000, 5000, 10000 PSI (LB) 15MM NB TO 900MM NB (1/2INCH TO 36 INCH) IN A105, LF2, API TYPE 2 etc.