

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
<b>REDUCERS, BUTTWELD, CARBON STEEL, NACE, ASTM-A 234 GRADE WPB (ANSI B16.9) UNLESS SHOWN i.e. WPL6, CHROME MOLY</b>						
REDUCERS	CONCENTRIC	40 X 32	(01.50") X (01.25")	SCH /80	6	
REDUCERS	CONCENTRIC	50 X 25	(02.00") X (01.00")	SCH /40	15	
REDUCERS	CONCENTRIC	50 X 25	(02.00") X (01.00")	SCH /80	3	
REDUCERS	CONCENTRIC	50 X 25	(02.00") X (01.00")	XXS	8	
REDUCERS	CONCENTRIC	50 X 32	(02.00") X (01.25")	SCH /160	1	
REDUCERS	CONCENTRIC	50 X 40	(02.00") X (01.50")	SCH /40	5	
REDUCERS	CONCENTRIC	50 X 40	(02.00") X (01.50")	SCH /80	9	
REDUCERS	CONCENTRIC	65 X 40	(02.50") X (01.50")	SCH /40	2	
REDUCERS	CONCENTRIC	65 X 40	(02.50") X (01.50")	SCH /160	2	
REDUCERS	CONCENTRIC	65 X 50	(02.50") X (02.00")	SCH /80	6	
REDUCERS	CONCENTRIC	65 X 50	(02.50") X (02.00")	SCH /160	29	
REDUCERS	CONCENTRIC	65 X 50	(02.50") X (02.00")	XXS	6	
REDUCERS	CONCENTRIC	80 X 50	(03.00") X (02.00")	SCH /40	14	
REDUCERS	CONCENTRIC	80 X 50	(03.00") X (02.00")	SCH 80	10	
REDUCERS	CONCENTRIC	80 X 50	(03.00") X (02.00")	SCH 160	27	
REDUCERS	CONCENTRIC	80 X 50	(03.00") X (02.00")	XXS	42	
REDUCERS	CONCENTRIC	80 X 65	(03.00") X (02.50")	SCH /80	4	
REDUCERS	CONCENTRIC	80 X 65	(03.00") X (02.50")	SCH /160	4	
REDUCERS	CONCENTRIC	80 X 65	(03.00") X (02.50")	XXS	3	
REDUCERS	CONCENTRIC	100 X 40	(04.00") X (01.50")	SCH /40	4	
REDUCERS	CONCENTRIC	100 X 50	(04.00") X (02.00")	SCH /80	22	
REDUCERS	CONCENTRIC	100 X 50	(04.00") X (02.00")	SCH /160	5	
REDUCERS	CONCENTRIC	100 X 50	(04.00") X (02.00")	XXS	8	
REDUCERS	CONCENTRIC	100 X 65	(04.00") X (02.50")	SCH /80	1	
REDUCERS	CONCENTRIC	100 X 80	(04.00") X (03.00")	SCH /160	9	
REDUCERS	CONCENTRIC	100 X 80	(04.00") X (03.00")	XXS	19	
REDUCERS	CONCENTRIC	125 X 80	(05.00") X (03.00")	XXS	1	
REDUCERS	CONCENTRIC	125 X 100	(05.00") X (04.00")	SCH /80	4	
REDUCERS	CONCENTRIC	150 X 50	(06.00") X (02.00")	SCH /160	2	
REDUCERS	CONCENTRIC	150 X 65	(06.00") X (02.50")	SCH /40	2	
REDUCERS	CONCENTRIC	150 X 65	(06.00") X (02.50")	SCH /80	1	
REDUCERS	CONCENTRIC	150 X 80	(06.00") X (03.00")	SCH /40	7	
REDUCERS	CONCENTRIC	150 X 80	(06.00") X (03.00")	SCH /80	1	<b>WPL6</b>
REDUCERS	CONCENTRIC	150 X 80	(06.00") X (03.00")	SCH /160	5	
REDUCERS	CONCENTRIC	150 X 80	(06.00") X (03.00")	XXS	9	
REDUCERS	CONCENTRIC	150 X 100	(06.00") X (04.00")	SCH /40	30	
REDUCERS	CONCENTRIC	150 X 100	(06.00") X (04.00")	SCH /80	4	
REDUCERS	CONCENTRIC	150 X 100	(06.00") X (04.00")	SCH /120	4	
REDUCERS	CONCENTRIC	150 X 100	(06.00") X (04.00")	SCH /160	4	
REDUCERS	CONCENTRIC	150 X 100	(06.00") X (04.00")	XXS	5	
REDUCERS	CONCENTRIC	150 X 125	(06.00") X (05.00")	SCH /40	2	
REDUCERS	CONCENTRIC	150 X 125	(06.00") X (05.00")	SCH /80	5	
REDUCERS	CONCENTRIC	150 X 125	(06.00") X (05.00")	XXS	2	<b>WPHY60, 6A TYPE 4</b>
REDUCERS	CONCENTRIC	150 X 125	(06.00") X (05.00")	XXS	5	
REDUCERS	CONCENTRIC	200 X 50	(08.00") X (02.00")	SCH /120 X SCH /160	1	
REDUCERS	CONCENTRIC	200 X 100	(08.00") X (04.00")	SCH /40	9	
REDUCERS	CONCENTRIC	200 X 100	(08.00") X (04.00")	SCH /80	4	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
REDUCERS	CONCENTRIC	200 X 100	(08.00") X (04.00")	SCH /160	2	
REDUCERS	CONCENTRIC	200 X 125	(08.00") X (05.00")	SCH /160	1	
REDUCERS	CONCENTRIC	200 X 150	(08.00") X (06.00")	SCH /40	2	
REDUCERS	CONCENTRIC	200 X 150	(08.00") X (06.00")	SCH /80	1	
REDUCERS	CONCENTRIC	200 X 150	(08.00") X (06.00")	SCH /160	3	
REDUCERS	CONCENTRIC	200 X 150	(08.00") X (06.00")	SCH/120 X SCH/160	32	A694 F65 <b>WPHY65</b>
REDUCERS	CONCENTRIC	200 X 150	(08.00") X (06.00")	XXS	20	
REDUCERS	CONCENTRIC	250 X 100	(10.00") X (04.00")	SCH /80	2	
REDUCERS	CONCENTRIC	250 X 100	(10.00") X (04.00")	SCH /160	2	
REDUCERS	CONCENTRIC	250 X 100	(10.00") X (04.00")	SCH /100 X SCH /120	1	FORGED
REDUCERS	CONCENTRIC	250 X 150	(10.00") X (06.00")	SCH /40	3	
REDUCERS	CONCENTRIC	250 X 150	(10.00") X (06.00")	SCH /80	3	
REDUCERS	CONCENTRIC	250 X 200	(10.00") X (08.00")	SCH /40	2	
REDUCERS	CONCENTRIC	250 X 200	(10.00") X (08.00")	SCH /80	4	
REDUCERS	CONCENTRIC	300 X 100	(12.00") X (04.00")	SCH /80	1	
REDUCERS	CONCENTRIC	300 X 100	(12.00") X (04.00")	XS	1	
REDUCERS	CONCENTRIC	300 X 150	(12.00") X (06.00")	SCH /40	30	
REDUCERS	CONCENTRIC	300 X 150	(12.00") X (06.00")	SCH /80	5	
REDUCERS	CONCENTRIC	300 X 150	(12.00") X (06.00")	STD	1	
REDUCERS	CONCENTRIC	300 X 150	(12.00") X (06.00")	XS	5	
REDUCERS	CONCENTRIC	300 X 200	(12.00") X (08.00")	SCH /80	2	
REDUCERS	CONCENTRIC	300 X 200	(12.00") X (08.00")	SCH /160	1	
REDUCERS	CONCENTRIC	300 X 250	(12.00") X (10.00")	STD	2	
REDUCERS	CONCENTRIC	300 X 250	(12.00") X (10.00")	XS	3	
REDUCERS	CONCENTRIC	350 X 200	(14.00") X (08.00")	STD	1	
REDUCERS	CONCENTRIC	350 X 200	(14.00") X (08.00")	XS	3	<b>WPL6</b>
REDUCERS	CONCENTRIC	350 X 250	(14.00") X (10.00")	SCH /10	1	
REDUCERS	CONCENTRIC	350 X 250	(14.00") X (10.00")	SCH /40	1	<b>WPL6</b>
REDUCERS	CONCENTRIC	350 X 250	(14.00") X (10.00")	SCH /80	2	
REDUCERS	CONCENTRIC	350 X 250	(14.00") X (10.00")	XS	9	
REDUCERS	CONCENTRIC	350 X 300	(14.00") X (12.00")	SCH /80	1	
REDUCERS	CONCENTRIC	350 X 300	(14.00") X (12.00")	STD	4	
REDUCERS	CONCENTRIC	400 X 250	(16.00") X (10.00")	STD	3	
REDUCERS	CONCENTRIC	400 X 250	(16.00") X (10.00")	XS	2	
REDUCERS	CONCENTRIC	400 X 300	(16.00") X (12.00")	SCH /40	1	
REDUCERS	CONCENTRIC	400 X 300	(16.00") X (12.00")	SCH /80	3	
REDUCERS	CONCENTRIC	400 X 300	(16.00") X (12.00")	XS	1	
REDUCERS	CONCENTRIC	400 X 300	(16.00") X (12.00")	STD	2	
REDUCERS	CONCENTRIC	400 X 350	(16.00") X (14.00")	XS	1	
REDUCERS	CONCENTRIC	450 X 300	(18.00") X (12.00")	STD	1	
REDUCERS	CONCENTRIC	450 X 300	(18.00") X (12.00")	XS	3	
REDUCERS	CONCENTRIC	450 X 350	(18.00") X (14.00")	SCH /80	6	
REDUCERS	CONCENTRIC	450 X 350	(18.00") X (14.00")	STD	1	
REDUCERS	CONCENTRIC	450 X 400	(18.00") X (16.00")	SCH /20	1	
REDUCERS	CONCENTRIC	500 X 300	(20.00") X (12.00")	SCH /80	1	
REDUCERS	CONCENTRIC	500 X 300	(20.00") X (12.00")	STD	1	
REDUCERS	CONCENTRIC	500 X 400	(20.00") X (16.00")	SCH /80	2	
REDUCERS	CONCENTRIC	500 X 400	(20.00") X (16.00")	XS	1	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
REDUCERS	CONCENTRIC	500 X 450	(20.00") X (18.00")	STD	3	
REDUCERS	CONCENTRIC	500 X 450	(20.00") X (18.00")	XS	2	
REDUCERS	CONCENTRIC	550 X 300	(22.00") X (12.00")	SCH /100 X SCH /60	1	
REDUCERS	CONCENTRIC	550 X 300	(22.00") X (12.00")	XS	1	
REDUCERS	CONCENTRIC	550 X 400	(22.00") X (16.00")	STD	1	WPHY 60
REDUCERS	CONCENTRIC	600 X 300	(24.00") X (12.00")	XS	1	
REDUCERS	CONCENTRIC	600 X 350	(24.00") X (14.00")	XS	1	
REDUCERS	CONCENTRIC	600 X 400	(24.00") X (16.00")	SCH /10	1	
REDUCERS	CONCENTRIC	600 X 400	(24.00") X (16.00")	STD	3	
REDUCERS	CONCENTRIC	600 X 450	(24.00") X (18.00")	SCH /40	1	
REDUCERS	CONCENTRIC	1050 X 750	(42.00") X (30.00")	STD	1	RADIOGRAPHED DSAW

## REDUCERS, BUTTWELD, ASTM-A 234 GRADE WPB SEAMLESS NACE (ANSI B16.9) ... UNLESS SHOWN I.E. WPL6

REDUCERS	ECCENTRIC	25 X 15	(01.00") X (00.50")	SCH /40	38	
REDUCERS	ECCENTRIC	80 X 32	(03.00") X (01.25")	SCH /40	2	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	SCH /40	4	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	SCH /80	10	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	SCH /100	10	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	SCH /140	3	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	SCH /160	6	
REDUCERS	ECCENTRIC	80 X 50	(03.00") X (02.00")	XXS	12	
REDUCERS	ECCENTRIC	100 X 40	(04.00") X (01.50")	SCH /40	16	
REDUCERS	ECCENTRIC	100 X 50	(04.00") X (02.00")	SCH /20	11	
REDUCERS	ECCENTRIC	100 X 50	(04.00") X (02.00")	SCH /40	6	
REDUCERS	ECCENTRIC	100 X 50	(04.00") X (02.00")	SCH /160	14	
REDUCERS	ECCENTRIC	100 X 50	(04.00") X (02.00")	XXS	5	
REDUCERS	ECCENTRIC	100 X 65	(04.00") X (02.50")	SCH /80	25	
REDUCERS	ECCENTRIC	100 X 80	(04.00") X (03.00")	SCH /80	28	
REDUCERS	ECCENTRIC	100 X 80	(04.00") X (03.00")	SCH /160	13	
REDUCERS	ECCENTRIC	100 X 80	(04.00") X (03.00")	XXS	20	
REDUCERS	ECCENTRIC	125 X 65	(05.00") X (02.50")	SCH /80	1	
REDUCERS	ECCENTRIC	125 X 100	(05.00") X (04.00")	SCH /40	2	
REDUCERS	ECCENTRIC	125 X 100	(05.00") X (04.00")	SCH /80	2	
REDUCERS	ECCENTRIC	150 X 50	(06.00") X (02.00")	SCH /80	2	
REDUCERS	ECCENTRIC	150 X 80	(06.00") X (03.00")	SCH /40	2	
REDUCERS	ECCENTRIC	150 X 80	(06.00") X (03.00")	SCH /80	5	
REDUCERS	ECCENTRIC	150 X 80	(06.00") X (03.00")	SCH /120 X SCH /80	1	
REDUCERS	ECCENTRIC	150 X 80	(06.00") X (03.00")	SCH /160	2	
REDUCERS	ECCENTRIC	150 X 80	(06.00") X (03.00")	XXS	1	
REDUCERS	ECCENTRIC	150 X 100	(06.00") X (04.00")	SCH /160	4	
REDUCERS	ECCENTRIC	150 X 100	(06.00") X (04.00")	XXS	6	
REDUCERS	ECCENTRIC	150 X 125	(06.00") X (05.00")	XXS	2	API6A TYPE 4 DUAL CERT WPB
REDUCERS	ECCENTRIC	200 X 100	(08.00") X (04.00")	SCH /80	6	
REDUCERS	ECCENTRIC	200 X 125	(08.00") X (05.00")	SCH /40	1	
REDUCERS	ECCENTRIC	200 X 125	(08.00") X (05.00")	SCH /80	1	
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	SCH /40	7	
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	SCH /80	6	
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	SCH /100	5	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	SCH /120 X SCH /XS	1	
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	SCH /120	2	
REDUCERS	ECCENTRIC	200 X 150	(08.00") X (06.00")	XXS	4	
REDUCERS	ECCENTRIC	250 X 100	(10.00") X (04.00")	SCH /40	3	
REDUCERS	ECCENTRIC	250 X 100	(10.00") X (04.00")	SCH /80	2	
REDUCERS	ECCENTRIC	250 X 150	(10.00") X (06.00")	SCH /80	5	
REDUCERS	ECCENTRIC	250 X 200	(10.00") X (08.00")	SCH /40	5	
REDUCERS	ECCENTRIC	250 X 200	(10.00") X (08.00")	SCH /80	11	
REDUCERS	ECCENTRIC	250 X 200	(10.00") X (08.00")		6	
REDUCERS	ECCENTRIC	250 X 200	(10.00") X (08.00")	XS	2	
REDUCERS	ECCENTRIC	300 X 150	(12.00") X (06.00")	SCH /40	1	
REDUCERS	ECCENTRIC	300 X 150	(12.00") X (06.00")	SCH /80	1	
REDUCERS	ECCENTRIC	300 X 200	(12.00") X (08.00")	SCH /80	6	
REDUCERS	ECCENTRIC	300 X 250	(12.00") X (10.00")	SCH /20	1	
REDUCERS	ECCENTRIC	300 X 250	(12.00") X (10.00")	STD	2	
REDUCERS	ECCENTRIC	300 X 250	(12.00") X (10.00")	XS	10	
REDUCERS	ECCENTRIC	350 X 200	(14.00") X (08.00")	SCH /20	30	
REDUCERS	ECCENTRIC	350 X 200	(14.00") X (08.00")	STD	2	
REDUCERS	ECCENTRIC	350 X 250	(14.00") X (10.00")	SCH /20	7	
REDUCERS	ECCENTRIC	350 X 250	(14.00") X (10.00")	STD	1	
REDUCERS	ECCENTRIC	350 X 300	(14.00") X (12.00")	STD	1	
REDUCERS	ECCENTRIC	350 X 300	(14.00") X (12.00")	STD	1	WPL6
REDUCERS	ECCENTRIC	400 X 350	(16.00") X (14.00")	XS	1	
REDUCERS	ECCENTRIC	400 X 350	(16.00") X (14.00")	STD	1	
REDUCERS	ECCENTRIC	450 X 300	(18.00") X (12.00")	SCH /80	1	
REDUCERS	ECCENTRIC	450 X 300	(18.00") X (12.00")	STD	1	
REDUCERS	ECCENTRIC	500 X 300	(20.00") X (12.00")	SCH /120	1	
REDUCERS	ECCENTRIC	500 X 350	(20.00") X (14.00")	SCH /80	1	WPL6
REDUCERS	ECCENTRIC	500 X 350	(20.00") X (14.00")	STD	2	
REDUCERS	ECCENTRIC	550 X 250	(22.00") X (10.00")	STD	3	DSAW
REDUCERS	ECCENTRIC	600 X 450	(24.00") X (18.00")	STD	1	
REDUCERS	ECCENTRIC	800 X 350	(24.00") X (14.00")	XS	1	

## TEES, BUTTWELD, CARBON STEEL, NACE ASTM-A 234 GRADE WPB (ANSI B 16.9) UNLESS SHOWN I.E. WPL6

TEES	EQUAL	25	(01.00")	SCH /80	15	
TEES	EQUAL	25	(01.00")	SCH /160	19	
TEES	EQUAL	25	(01.00")	XXS	27	
TEES	EQUAL	40	(01.50")	SCH /40 SW	485	
TEES	EQUAL	40	(01.50")	SCH /40	12	
TEES	EQUAL	40	(01.50")	SCH /80	9	
TEES	EQUAL	40	(01.50")	XXS	6	
TEES	EQUAL	50	(02.00")	SCH /40	9	WPL6
TEES	EQUAL	50	(02.00")	SCH /160	30	
TEES	EQUAL	50	(02.00")	XXS	16	
TEES	EQUAL	65	(02.50")	SCH /80	9	
TEES	EQUAL	80	(03.00")	SCH /40	30	
TEES	EQUAL	80	(03.00")	SCH /40	3	WPL6
TEES	EQUAL	80	(03.00")	SCH /80	21	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
TEES	EQUAL	80	(03.00")	SCH /100	7	
TEES	EQUAL	80	(03.00")	SCH /160	12	
TEES	EQUAL	80	(03.00")	XXS	11	
TEES	EQUAL	90	(03.50")	XXS	4	
TEES	EQUAL	100	(04.00")	SCH /40	4	
TEES	EQUAL	100	(04.00")	SCH /40	7	<b>WPL6</b>
TEES	EQUAL	100	(04.00")	SCH /80	18	
TEES	EQUAL	100	(04.00")	SCH /100	2	
TEES	EQUAL	100	(04.00")	SCH /160	7	
TEES	EQUAL	100	(04.00")	XXS	9	
TEES	EQUAL	125	(05.00")	8 . 5	6	API MATERIAL (5000PSI)
TEES	EQUAL	125	(05.00")	XXS	3	
TEES	EQUAL	125	(05.00")	XXS	1	<b>WPHY60, 6A TYPE 4</b>
TEES	EQUAL	150	(06.00")	SCH /20	10	
TEES	EQUAL	150	(06.00")	SCH /40	7	
TEES	EQUAL	150	(06.00")	SCH /80	19	
TEES	EQUAL	150	(06.00")	SCH /120	3	
TEES	EQUAL	150	(06.00")	SCH /160	9	
TEES	EQUAL	150	(06.00")	XXS	20	
TEES	EQUAL	200	(08.00")	SCH /40	6	
TEES	EQUAL	200	(08.00")	SCH /40	3	<b>WPL6</b>
TEES	EQUAL	200	(08.00")	SCH /80	9	
TEES	EQUAL	200	(08.00")	SCH /80	2	<b>WPL6</b>
TEES	EQUAL	200	(08.00")	SCH /120	2	
TEES	EQUAL	200	(08.00")	SCH /160	4	
TEES	EQUAL	200	(08.00")	XXS	5	
TEES	EQUAL	250	(10.00")	SCH /40	11	
TEES	EQUAL	250	(10.00")	SCH /40	1	<b>WPL6</b>
TEES	EQUAL	250	(10.00")	SCH /80	6	
TEES	EQUAL	250	(10.00")	SCH /120	2	
TEES	EQUAL	250	(10.00")	SCH /160	2	
TEES	EQUAL	250	(10.00")	4.5MM	1	
TEES	EQUAL	250	(10.00")	5.5MM	1	
TEES	EQUAL	250	(10.00")	XS	3	
TEES	EQUAL	300	(12.00")	SCH /20	1	
TEES	EQUAL	300	(12.00")	SCH /40	2	
TEES	EQUAL	300	(12.00")	SCH /80	6	
TEES	EQUAL	300	(12.00")	SCH /160	1	
TEES	EQUAL	300	(12.00")	STD	4	
TEES	EQUAL	300	(12.00")	XS	2	
TEES	EQUAL	350	(14.00")	SCH /80	2	
TEES	EQUAL	350	(14.00")	STD	2	
TEES	EQUAL	350	(14.00")	XS	6	
TEES	EQUAL	350	(14.00")	XS	1	<b>WPL6</b>
TEES	EQUAL	350	(14.00")	SCH /160	1	
TEES	EQUAL	400	(16.00")	SCH /80	1	
TEES	EQUAL	400	(16.00")	54 MM WT	2	<b>WPL6</b>
TEES	EQUAL	400	(16.00")	STD	4	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
TEES	EQUAL	400	(16.00")	XS	3	(S40)
TEES	EQUAL	450	(18.00")	SCH /120	1	<b>WPL6</b>
TEES	EQUAL	450	(18.00")	STD	2	
TEES	EQUAL	450	(18.00")	XS	3	
TEES	EQUAL	500	(20.00")	SCH /10	3	
TEES	EQUAL	500	(20.00")	8.4MM	1	<b>WPHY60</b>
TEES	EQUAL	550	(22.00")	SCH /30	1	(XS)
TEES	EQUAL	600	(24.00")	STD	1	
TEES	EQUAL	650	(26.00")	STD	1	
TEES	EQUAL	900	(36.00")	STD	1	DSAW
TEES	REDUCING	20 X 15	(00.75") X (00.50")	XXS	3	
TEES	REDUCING	25 X 20	(01.00") X (00.75")	SCH /160	1	
TEES	REDUCING	40 X 15	(01.50") X (00.50")	SCH /40	485	S/W
TEES	REDUCING	40 X 20	(01.50") X (00.75")	SCH /40	590	S/W
TEES	REDUCING	50 X 40	(02.00") X (01.50")	SCH /80	18	<b>WPL6</b>
TEES	REDUCING	65 X 40	(02.50") X (01.50")	SCH /40	3	
TEES	REDUCING	65 X 40	(02.50") X (01.50")	XXS	3	
TEES	REDUCING	80 X 40	(03.00") X (01.50")	SCH /40	1	
TEES	REDUCING	80 X 40	(03.00") X (01.50")	SCH /80	1	
TEES	REDUCING	80 X 50	(03.00") X (02.00")	SCH /40	306	BENKAN
TEES	REDUCING	80 X 50	(03.00") X (02.00")	SCH /80	20	
TEES	REDUCING	80 X 50	(03.00") X (02.00")	SCH /160	4	
TEES	REDUCING	80 X 50	(03.00") X (02.00")	XXS	2	
TEES	REDUCING	80 X 65	(03.00") X (02.50")	SCH /40	2	
TEES	REDUCING	100 X 50	(04.00") X (02.00")	SCH /40	246	BENKAN
TEES	REDUCING	100 X 50	(04.00") X (02.00")	SCH /160	4	
TEES	REDUCING	100 X 50	(04.00") X (02.00")	XXS	1	
TEES	REDUCING	100 X 65	(04.00") X (02.50")	SCH /80	1	
TEES	REDUCING	100 X 80	(04.00") X (03.00")	SCH /40	15	
TEES	REDUCING	100 X 80	(04.00") X (03.00")	SCH /80	8	
TEES	REDUCING	100 X 80	(04.00") X (03.00")	SCH /160	4	
TEES	REDUCING	150 X 50	(06.00") X (02.00")	SCH /80	8	
TEES	REDUCING	150 X 80	(06.00") X (03.00")	SCH /40	6	
TEES	REDUCING	150 X 80	(06.00") X (03.00")	SCH /80	2	
TEES	REDUCING	150 X 80	(06.00") X (03.00")	SCH /160	1	
TEES	REDUCING	150 X 100	(06.00") X (04.00")	SCH /40	4	
TEES	REDUCING	150 X 100	(06.00") X (04.00")	SCH /80	5	
TEES	REDUCING	150 X 100	(06.00") X (04.00")	SCH /120	2	
TEES	REDUCING	150 X 100	(06.00") X (04.00")	SCH /160	1	
TEES	REDUCING	200 X 80	(08.00") X (03.00")	SCH /40	3	
TEES	REDUCING	200 X 80	(08.00") X (03.00")	SCH /80	3	
TEES	REDUCING	200 X 100	(08.00") X (04.00")	SCH /40	4	
TEES	REDUCING	200 X 100	(08.00") X (04.00")	SCH /80	8	
TEES	REDUCING	200 X 100	(08.00") X (04.00")	SCH /80	1	<b>WPL6</b>
TEES	REDUCING	200 X 100	(08.00") X (04.00")	SCH /120	1	
TEES	REDUCING	200 X 150	(08.00") X (06.00")	SCH /40	5	
TEES	REDUCING	200 X 150	(08.00") X (06.00")	SCH /80	4	
TEES	REDUCING	200 X 150	(08.00") X (06.00")	SCH /120	2	

# CERTIFIED SEAMLESS BUTTWELD FITTINGS, WPB AND WPL6 REDUCERS AND TEES

SECTION	TYPE	SIZE (MM)	SIZE (IN.)	SCHEDULE	QTY	DETAILS
TEES	REDUCING	200 X 150	(08.00") X (06.00")	SCH /160	1	
TEES	REDUCING	200 X 150	(08.00") X (06.00")	SCH /160	2	
TEES	REDUCING	200 X 150	(08.00") X (06.00")	XXS	1	
TEES	REDUCING	250 X 100	(10.00") X (04.00")	SCH /40	3	
TEES	REDUCING	250 X 100	(10.00") X (04.00")	SCH /80	2	
TEES	REDUCING	250 X 100	(10.00") X (04.00")	SCH /120	1	
TEES	REDUCING	250 X 100	(10.00") X (04.00")	SCH /160	1	
TEES	REDUCING	250 X 150	(10.00") X (06.00")	SCH /40	2	
TEES	REDUCING	250 X 150	(10.00") X (06.00")	SCH /80	5	
TEES	REDUCING	250 X 200	(10.00") X (08.00")	SCH /40	2	
TEES	REDUCING	250 X 200	(10.00") X (08.00")	SCH /80	1	
TEES	REDUCING	300 X 150	(12.00") X (06.00")	SCH /40	2	
TEES	REDUCING	300 X 150	(12.00") X (06.00")	STD	2	
TEES	REDUCING	300 X 150	(12.00") X (06.00")	XS	1	
TEES	REDUCING	300 X 200	(12.00") X (08.00")	SCH /80	2	
TEES	REDUCING	300 X 200	(12.00") X (08.00")	SCH /120	1	
TEES	REDUCING	300 X 200	(12.00") X (08.00")	STD	5	
TEES	REDUCING	300 X 200	(12.00") X (08.00")	XS	1	
TEES	REDUCING	300 X 250	(12.00") X (10.00")	SCH /40	3	
TEES	REDUCING	300 X 250	(12.00") X (10.00")	STD	2	
TEES	REDUCING	350 X 150	(14.00") X (06.00")	SCH /80	1	
TEES	REDUCING	350 X 200	(14.00") X (08.00")	XS	2	
TEES	REDUCING	350 X 250	(14.00") X (10.00")	SCH /80	1	
TEES	REDUCING	350 X 300	(14.00") X (12.00")	SCH /120	1	
TEES	REDUCING	350 X 300	(14.00") X (12.00")	STD	1	
TEES	REDUCING	400 X 250	(16.00") X (10.00")	STD	1	
TEES	REDUCING	400 X 300	(16.00") X (12.00")	STD	1	
TEES	REDUCING	400 X 350	(16.00") X (14.00")	SCH /40	1	<b>WPL6</b>
TEES	REDUCING	400 X 350	(16.00") X (14.00")	STD	1	
TEES	REDUCING	450 X 300	(18.00") X (12.00")	STD	1	
TEES	REDUCING	450 X 350	(18.00") X (14.00")	STD	1	
TEES	REDUCING	500 X 200	(20.00") X (08.00")	SCH /20 X SCH /80	3	<b>DSAW, WPHY60</b>
TEES	REDUCING	500 X 200	(20.00") X (08.00")	SCH /80 X SCH /80	3	<b>WPHY60</b>
TEES	REDUCING	500 X 350	(20.00") X (14.00")	XS	1	SMLS
TEES	REDUCING	700 X 300	(28.00") X (12.00")			"SEE WELDOLET"
TEES	REDUCING	700 X 500	(28.00") X (20.00")	STD	2	SMLS
TEES	REDUCING	1000 X 300	(40.00") X (12.00")	STD	4	SMLS
TEES	REDUCING	1000 X 350	(40.00") X (14.00")	STD	4	SMLS
TEES	REDUCING	1000 X 500	(40.00") X (20.00")	STD	4	SMLS
TEES	REDUCING	1050 X 750	(42.00") X (30.00")	STD	2	DSAW
TEES	REDUCING	1200 X 500	(48.00") X (20.00")	STD	3	SMLS